The drawing(s) filed (insert date) 1-19-99 are:

The court of the second of the second of

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

| 1. ĎRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings: Black,rink. Color. Color drawings are not acceptable unit petition is granted. Fig(s) Pencil and non black ink.not permitted. Fig(s) Photographs not properly mounted (must use brystol board or photographs could be weight paper.) Fig(s) Poor quality (half-tone). Fig(s) Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, and black (poor time quality fig(s) Paper not flexible, and black (poor time quality fig(s) Paper not flexible, and black (poor time quality fig(s) Paper not flexible, and black (poor time quality fig(s) Paper not flexible, and black (poor time quality fig(s) Paper not flexible, and black (poor time quality fig(s) Paper not flexible, and black (poor time quality fig(s) Paper not flexible, and black (poor time quality fig(s) Paper not flexible, and black (poor time quality fig(s) Paper not flexible, and black (poor time quality fig(s) Paper not flexible, and black (poor time quality fig(s) Paper not flexible, and paper not flexible flex | of this no |
|--|------------|
| Pencil and non black inknot permitted. Fig(s) 1 PHOTOCRAPHS. 37 CFR 1.84 (p) 1 full-tone set is required. Fig(s) Photographic double-weight paper). Fig(s) Proor quality (half-lone). Fig(s) For quality (half-lone). Fig(s) Paper not flexible, strong, white, and disrable, Fig(s) Erasures, alterations, overwritings, interlineations, folds, copymachine marks not acceptable. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 2.10 cm by 29.7 cm (DN size A4) 2.16 cm by 27.9 cm (8 1/2 x 11 inches) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) ReminDers. Specification may require revision to correspond to drawing changes. Partial views, 37 CFR 1.84(b) Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented in the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 standard to the same size. Size is 1/2 x 11 stan | |
| For quality (half-tone). Fig(s) 3. TYPE OF APPER: 3.7 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Fig(s) Mylar, velum paper is not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Solid black spates a ple. Fig(s) Solid black standing not permitted. Fig(s) Solid black standing not uniformly thick and w defined, clgin, duyable, and black (poor line quality Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Solid black standing not uniformly thick and w defined, clgin, duyable, and black (poor line quality Fig(s) Solid black standing not uniformly thick and w defined, clgin, duyable, and black (poor line quality Fig(s) Solid black standing not uniformly thick and w defined, clgin, duyable, and black (poor line quality Fig(s) Solid black standing not uniformly thick and w defined, clgin, duyable, and black (poor line quality Fig(s) Solid black standing not uniformly thick and w defined, clgin, duyable, and black (poor line quality Fig(s) Solid black standing not uniformly thick and w defined, clgin, duyable, and black (poor line quality Fig(s) Solid black standing not uniformly thick and w defined, clgin, duyable, and black (poor line quality Fig(s) Solid black standing not uniformly thick and w defined, clgin, duyable, and black (poor line quality Fig(s) Solid black standing not uniformly thick and w defined, clgin, duyable, and black (poor line quality Fig(s) Solid black standing not uniformly thick and w defined, clgin, duyable, and black (poor line quality Fig(s) Solid black standing not uniformly thick and w defined, clgin, duyable, and black (poor line quality Fig(s) Solid black standing not uniformly thick and w defined, clgin, duyable, and lack (poor line quality Fig(s) Solid black standing not iniformly thick and w defined, clgin, duyable, and lack (poor line quality Fig(s) Solid black standing not iniformly thick and w defined, clgin, duyable, and lack (poor line quality Fig(s) Solid black standing not iniformly thick and well and permitted. Fig(s | |
| Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 4. SIZE OF PAPER. 37 CPR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 1] inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top (1) Right (R) Bottom (B) 4. VIEWS. 37 CFR 1.84(p)(2) Fig(s) Brackets needed to show figure as one entity. Fig(s) Elada give and labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Fig(s) Sectional designation should be noted with Arabic or Fig(s) Solid black areas pale, Fig(s) Solid black shading not used for color contrast. Fig(s) | |
| Mylar, velum paper is not acceptable (too thin). Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.0 cm (81/2 x 11 inches) 11 All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 7.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 7.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 7.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 7.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 7.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 7.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 7.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 7.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 7.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top (1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top (1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top (1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top (1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A size to Left 2.5 cm Righ | |
| 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 em (8 1/2 x 11 inches) 1 All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm | |
| Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm: SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Reminder: Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. | |
| same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Drop CFR 1.84(p)(2) Fig(s) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separatel or sectional portions of an object. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or ROMAN INC. Sections Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be a submers. As commended in height. 37 CFR 1.84(p)(3) Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic or beginning with number 1. Sheet(s) Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) | |
| Numbers, letters and reference characters must be a size of (1/8 inch) in height. 37 CFR 1.84(p)(3) | |
| 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Read lines cross each other. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic or beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic or beginning with number 1. Fig(s) Views not numbered consecutively, and in Arabic or beginning with number 1. Fig(s) Corrections. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) | at least |
| Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sheets not numbered consecutively, and in Arabic or beginning with number 1. Fig(s) Locarections not make from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) | |
| Views not labeled separately or properly. Fig(s) Enlarged view not labeled separetely or properly. Fig(s) Negroin and in Arabic not beginning with number 1. Fig(s) Fig(s) Negroin and in Arabic not beginning with number 1. Fig(s) Corrections 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) | |
| Fig(s) Corrections not made from prior PTO-948 dated Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Solid black shading not used for color contrast. Roman numbers. Fig(s) Fig(s) Fig(s) Solid black shading not used for color contrast. | numerals, |
| Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) | |
| | |
| COMMENTS | |
| | |
| | |

- DATE 2-15-80 TELEPHONE NO 703-365-08

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of informalities: 37 CFR 1.85

The new drawings of the changes incorporated therein. The application number of the title of the invention, sentor's name, drawing of number (if any), and the name and telephone number of a person to call if the Office smaller to match the drawings to the proper application, should be placed of the back of each sheet of tawings in accordance with 37 CFR 1.84(c). Applicant may delay filing of the new drawings until receipt of the Notice of Allow ability (PTOL-37). Extensions of time may be obtained under the provisions of 37 CFR 1.36. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Processing Branch.

2. Timing for Corrections

explicant is required to submit acceptable corrected drawings within the three-month shortened statutory of riod set in the Notice of Allowability (PTOL-37). If a correction is determined to be unacceptable by the office, applicant arrange to have acceptable corrections resubmitted within the original three-month extrod to avoid the accessity of obtaining an extension of time and paying the extension fee. Therefore, applicant should file corrected drawings as soon a possible.

Failure to take connective action within set (or extended) period will result in ABANDONMENT of the Application.

Corrections often than Informalities Noted by the Drawing Review Branch on the Form PTO-948

Il changes to the advings, other than informalities noted by the Drawing Review Branch, MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

.

Attachment for PTO-948 (Rev. 03/01, or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities -- 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson. MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in ABANDONMENT of the application